



CLAIMS

1. A cucurbituril derivative-bonded solid substrate in which a cucurbituril derivative of Formula 1 below is covalently bonded to a modified solid substrate of Formula 2 below:



wherein n is an integer of 4 to 20, and R_1 and R_1' are each independently an alkenyloxy group with an unsaturated bond end and a substituted or unsubstituted alkyl moiety of C_1 - C_{20} , a carboxyalkylsulfinyloxy group with a substituted or unsubstituted alkyl moiety of C_1 - C_{20} , a carboxyalkyloxy group with a substituted or unsubstituted alkyl moiety of C_2 - C_8 , an aminoalkyloxy group with a substituted or unsubstituted alkyl moiety of C_2 - C_8 , or a hydroxyalkyloxy group with a substituted or unsubstituted alkyl moiety of C_2 - C_8 , and




wherein R_2 is an alkyl group of C_1 - C_{10} with an end functional group selected from thiol, amine, epoxy, isocyan, and isothiocyan.


2. The cucurbituril derivative-bonded solid substrate of claim 1, wherein the solid substrate is a glass, a silicon wafer, an indium tin oxide (ITO) glass, an aluminum oxide substrate, or a titanium dioxide substrate.

3. The cucurbituril derivative-bonded solid substrate of claim 1, which is one selected from substrates represented by Formulae 3 through 6:


BEST AVAILABLE COPY




wherein each n is independently an integer of 1 to 20;



- 5 wherein n is an integer of 1 to 20 and X is a dialkylsulfide group with a substituted or unsubstituted alkyl moiety of C₁-C₂₀ or a substituted or unsubstituted alkyl group of C₁-C₂₀;




wherein n is an integer of 1 to 20; and




wherein n is an integer of 1 to 20.

4. A cucurbituril derivative-bonded solid substrate in which a cucurbituril derivative of Formula 1 below is covalently bonded to a modified solid substrate of Formula 7 below:



5 wherein n and R_1 are as defined in claim 1, and




wherein R_3 is an alkyl group of C_1 - C_{10} with an end functional group selected from thiol, amine, epoxy, isocyan, and isothiocyan.


10 5. The cucurbituril derivative-bonded solid substrate of claim 4, wherein the solid substrate is a substrate made of gold, silver, platinum, or copper.

6. The cucurbituril derivative-bonded solid substrate of claim 4, which is one selected from substrates represented by Formulae 8 through 11:

15




wherein each n is independently an integer of 1 to 20;




wherein each n is independently an integer of 1 to 20 and X is a dialkylsulfide group with a substituted or unsubstituted alkyl moiety of C_1 - C_{20} or a substituted or unsubstituted alkyl group of C_1 - C_{20} ;

5



wherein each n is independently an integer of 1 to 20 and X is a dialkylsulfide group with a substituted or unsubstituted alkyl moiety of C_1 - C_{20} or a substituted or unsubstituted alkyl group of C_1 - C_{20} ; and



10

wherein each n is independently an integer of 1 to 20.

7. A protein chip comprising the cucurbituril derivative-bonded solid substrate of any one of claims 1 through 6.

8. A gene chip comprising the cucurbituril derivative-bonded solid substrate of any one of claims 1 through 6.

5 9. A sensor for biomaterial assay comprising the cucurbituril derivative-bonded solid substrate of any one of claims 1 through 6.